



BE PREPARED
for COVID-19 exposure.

MAKE THE CALL
to talk to your healthcare
professional about XOCOVA.



Thinking ahead about a potential COVID-19 exposure?
Or recently exposed? *Select an option below to find out more:*



THINKING AHEAD

- I want to know what to do in the event I am exposed to someone with COVID
- I'm concerned that I may be exposed to COVID on a trip soon
- I worry about someone I live with who is high risk* for severe disease being exposed to COVID (they suffer from a chronic condition)



RECENTLY EXPOSED

- I was just informed that I have been exposed to someone with COVID
- I just attended a crowded indoor event and learned another attendee tested positive for COVID
- My loved one was exposed to someone with COVID



*Common risk factors for severe COVID include asthma, diabetes, being overweight, smoking, depression, and inactive lifestyle.
COVID-19 (or COVID)=coronavirus disease 2019.

What is XOCOVA?

XOCOVA (ensitrelvir) is a prescription medicine used to help prevent COVID-19 in adults and children aged 12 years and older following contact with a person who has COVID-19 (post-exposure prophylaxis). It is not known if XOCOVA is safe and effective in children under age 12.

Select Safety Information

Do not take XOCOVA if you are allergic to any of its ingredients or if you take certain medicines that may interact with XOCOVA and may cause severe or life-threatening side effects or death. Tell your healthcare provider (HCP) about all the medicines, vitamins and herbal supplements you take or plan to take, so your HCP can tell you if it is safe to take with XOCOVA. Tell your HCP if you are pregnant or plan to be, as XOCOVA may harm your unborn baby.

Please see Important Safety Information on page 4 and full [Prescribing Information](#), including [Patient Information](#), for XOCOVA.



Looks like you're thinking ahead about what to do in the event of COVID-19 exposure

Whether you've been exposed to someone with COVID-19 or not, you may have some questions about XOCOVA. XOCOVA is a prescription pill used in people aged 12 years and older to help reduce the risk of COVID-19 symptoms after exposure to COVID-19.* Use this helpful guide at your next appointment with your healthcare professional.

*In a clinical study, XOCOVA reduced the risk of symptomatic COVID by 67% by Day 10 versus placebo.

Questions you can ask your healthcare professional to get the conversation started:

- Can I keep XOCOVA on hand in case I'm exposed to someone with COVID?
- If I'm exposed to someone with COVID, how effective is XOCOVA?
- How does XOCOVA work, and what are the possible side effects?
- If I'm exposed to someone with COVID, when should I start XOCOVA?
- Can I stop taking XOCOVA if I do not develop COVID symptoms?
- Is XOCOVA covered by insurance, or are there any savings programs available?
- Does my COVID vaccine status affect whether or not I should take XOCOVA?
- Can XOCOVA interact with any of my medications, vitamins, or supplements?
- Is there anything I should know before starting XOCOVA?

List your current medications, vitamins, and supplements here.[†] Be sure to list everything you take—if you need more space, use another page.

[†]And be sure to tell your doctor if you start something new.

Ask your healthcare professional
IF XOCOVA IS RIGHT FOR YOU



COVID-19 (or COVID)=coronavirus disease 2019.

What is XOCOVA?

XOCOVA (ensitrelvir) is a prescription medicine used to help prevent COVID-19 in adults and children aged 12 years and older following contact with a person who has COVID-19 (post-exposure prophylaxis). It is not known if XOCOVA is safe and effective in children under age 12.

Select Safety Information

Do not take XOCOVA if you are allergic to any of its ingredients or if you take certain medicines that may interact with XOCOVA and may cause severe or life-threatening side effects or death. Tell your healthcare provider (HCP) about all the medicines, vitamins and herbal supplements you take or plan to take, so your HCP can tell you if it is safe to take with XOCOVA. Tell your HCP if you are pregnant or plan to be, as XOCOVA may harm your unborn baby.

Please see Important Safety Information on page 4 and full [Prescribing Information](#), including [Patient Information](#), for XOCOVA.

This discussion guide is not validated by any medical organization and does not replace the opinion of a healthcare professional.



Looks like you may have been recently exposed to someone with COVID-19

In the event you just found out you were exposed to someone with COVID-19, it's important to ask about XOCOVA as soon as possible. XOCOVA is a prescription pill for people aged 12 years and older to help prevent COVID-19 after exposure and should be started within 3 days (72 hours) of exposure. Use this helpful guide at your next appointment with your healthcare professional.

Questions you can ask your healthcare professional to get the conversation started:

- How does XOCOVA work, and what are the possible side effects?
- Can I stop taking XOCOVA if I do not develop COVID symptoms?
- What do I do in the event I test positive for COVID while taking XOCOVA?
- Does my COVID vaccine status affect whether or not I should take XOCOVA?
- Can XOCOVA interact with any of my medications, vitamins, or supplements?

List your current medications, vitamins, and supplements here.* Be sure to list everything you take—if you need more space, use another page.

*And be sure to tell your doctor if you start something new.

Ask your healthcare professional
IF XOCOVA IS RIGHT FOR YOU



COVID-19 (or COVID)=coronavirus disease 2019.

What is XOCOVA?

XOCOVA (ensitrelvir) is a prescription medicine used to help prevent COVID-19 in adults and children aged 12 years and older following contact with a person who has COVID-19 (post-exposure prophylaxis). It is not known if XOCOVA is safe and effective in children under age 12.

Select Safety Information

Do not take XOCOVA if you are allergic to any of its ingredients or if you take certain medicines that may interact with XOCOVA and may cause severe or life-threatening side effects or death. Tell your healthcare provider (HCP) about all the medicines, vitamins and herbal supplements you take or plan to take, so your HCP can tell you if it is safe to take with XOCOVA. Tell your HCP if you are pregnant or plan to be, as XOCOVA may harm your unborn baby.

Please see Important Safety Information on page 4 and full [Prescribing Information](#), including [Patient Information](#), for XOCOVA.

This discussion guide is not validated by any medical organization and does not replace the opinion of a healthcare professional.

What is XOCOVA?

XOCOVA (ensitrelvir) is a prescription medicine used to help prevent COVID-19 in adults and children aged 12 years and older following contact with a person who has COVID-19 (post-exposure prophylaxis). It is not known if XOCOVA is safe and effective in children under age 12.

Important Safety Information

Do not take XOCOVA if you:

- are allergic to ensitrelvir or any of the ingredients in XOCOVA.
- take any of the following medicines, as these may interact with XOCOVA and may cause severe or life-threatening side effects or death:
 - apalutamide
 - carbamazepine
 - colchicine
 - dihydroergotamine
 - enzalutamide
 - eplerenone
 - ergotamine
 - finerenone
 - ivabradine
 - lomitapide
 - lumacaftor/ivacaftor
 - lurasidone
 - methylergonovine
 - phenytoin
 - pimozide
 - quinidine
 - rifampin
 - St John's wort
 - simvastatin
 - triazolam
 - voclosporin

These are not the only medicines that may cause serious or life-threatening side effects if taken with XOCOVA. XOCOVA may increase or decrease the levels of many medicines in your body. Tell your healthcare provider (HCP) about all the medicines you take because additional laboratory tests or dose changes of your other medicines may be necessary during XOCOVA use. Your HCP may tell you about specific symptoms to watch for that may indicate you need to stop or decrease the dose of some of your other medicines.

Before taking XOCOVA, tell your HCP about all your medical conditions, including if you:

- are pregnant or plan to become pregnant. XOCOVA may harm your unborn baby. For females who are able to become pregnant, your HCP will check with you to see if you are pregnant before starting XOCOVA. Use effective birth control (contraception) during XOCOVA use and for 2 weeks after the final dose. Tell your HCP right away if you become pregnant or think you may be pregnant during XOCOVA use.
- are breastfeeding or plan to breastfeed. It is not known if XOCOVA passes into your breast milk. **Do not** breastfeed during XOCOVA use and for 2 weeks after the final dose.

Tell your HCP about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your HCP can tell you if it is safe to take XOCOVA with other medicines. Do not start a new medicine without telling your HCP.

What are the possible side effects of XOCOVA?

XOCOVA may cause serious side effects, including:

- **Allergic reactions, including severe allergic reactions (anaphylaxis).** Stop taking XOCOVA and get medical help right away if you get any of the following allergic reaction symptoms: skin rash; hives; itching; swelling of the mouth, lips, tongue, or face; trouble swallowing or breathing; throat tightness; dizziness or feeling lightheaded; stomach-area (abdomen) pain; or vomiting.

The most common side effects of XOCOVA include: headache, diarrhea, and cough.

These are not all the possible side effects of XOCOVA. For more info, ask your HCP or pharmacist.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see full [Prescribing Information](#), including [Patient Information](#), for XOCOVA.

